


NATIONWIDE PROTECTIVE COATING MFRS., INC. was established in 1964 as a private manufacturer to meet the needs of contractors and painters in the vicinity of Sarasota, Florida. Progressively, word spread about the quality, price and innovation of NATIONWIDE's products. The introduction of Ceramic Technology launched a small scale operation into a major undertaking. Today, NATIONWIDE is one of the fastest growing Architectural Paint & Coating Manufacturers in the nation, striving to be the largest. The Presence of Nationwide Products Worldwide has just begun...

NATIONWIDE PROTECTIVE COATING MFRS., INC.



COATING APPLICATIONS SPANNING THE GLOBE:

SALEM & HOPE CREEK NUCLEAR POWER PLANTS, Hancocks Bridge, New Jersey - E.I. DUPONT, Axis, Alabama - J.M. SMUCKERS FOOD PRODUCTS, Watsonville, California - JOHN DEERE Co., Chamberlain, South Dakota - BAYSHORE TOWERS, Hilo, Hawaii - CITY OF ROCHESTER, Rochester, New York - WELLCRAFT MARINE Corporation, Avon Park, Florida - HAWAIIAN TROPIC, Daytona Beach, Florida - U.S.S. ARIZONA MEMORIAL, Pearl City, Hawaii - WOOLWORTH Corp., Bradenton, Florida - BROOKHAVEN NATIONAL LABORATORY, Upton, New York - U.S. DEPARTMENT of DEFENSE, Great Lakes, Michigan - WAL-MART, Toluca, Mexico - TELEDYNE Corp., Hollister, California - RADISSON HOTEL, St. Simons Island, Georgia - SOUTHERN INDIANA GAS & ELECTRIC Co., Columbus, Ohio - PORT MANATEE, Palmetto, Florida - JFK INTERNATIONAL AIRPORT, Jamaica, New York - BUSCH GARDENS, Tampa Bay, Florida - WEYERHAUSER CO., British Columbia, Canada - PEPSI-COLA NORTH AMERICA, INC., Atlanta, Georgia - HOME DEPOT, Atlanta, Georgia - GOLD KIST, Atlanta, Georgia - SMITHSONIAN INSTITUTION, Suitland, Maryland - CVS, Passaic, New Jersey

GETTING GREENER...
GREEN SINCE 1964, Still Getting GREENER by the Gallon!



PRODUCT CATALOG



**THE INDUSTRY LEADER IN
 ELASTOMERIC WATERPROOFING
 INSULATING CERAMIC COATINGS**

NATIONWIDE PROTECTIVE COATING MFRS., INC.
 7106 24th Court East - Sarasota, Florida, U.S.A. 34243-3993
 Local: 941.753.7500 • U.S. Toll Free: 1.800.423.7264 • Fax: 941.753.1773
www.nationwidecoatings.com e-mail: info@natcoat.net

Manufacturing
Excellence
Since 1964

MISSION STATEMENT

"To Provide the Highest Quality Green Products,
Responsive Service and Expert Knowledge for the
Architectural Paint and Coatings Industry"



TABLE OF CONTENTS

Table of Contents	1
Reference Lists	2-3
ZERO V.O.C. Ceramic Paints & Primers including ENVIRO-3000® & ENVIRO-4000®	4
Low V.O.C. Ceramic Paints & Primers including CERAMIC SHIELD™ & CERAMIC FORCE™	5
Elastomeric Insulating Ceramic Coatings including ULTRA SEAL™	6
Waterborne Concrete Paints, Stains & Sealers including ACRATHANE™	7
Waterborne Metal & Wood Coatings including ULTRA KOTE™	8
Miscellaneous Specialty Coatings & Products including METALUX™	9-10
Roof Coating Primers, Caulk and Supplies including PERMABOND™	11-12
ACRYLOCOAT™ Decorative Designer Finish Texture Coating Systems	13
ULTRA GRIP™ Waterproofing Products, Containers, Signs, Advertising & Miscellaneous	14

CALL FOR A PRICE QUOTE AND INQUIRE FOR SPECIAL PRICING & QUANTITY DISCOUNTS
Levels of discounting will be established according to category and volume.

GENERAL INFORMATION

COLORS: All products in this catalog come in standard bright white unless otherwise specified within its description. Custom color matching is available for most any product in this catalog (Nominal color charge depending on quantity and color). Color fan decks and color cards are available. If a color match is not requested for verification, colors cannot be returned for any reason. All coloring of Nationwide products is approximate and is not guaranteed to be exact due to many variables including, but not limited to lighting conditions, sheen and substrate.

PACKAGING: Most products available in one gallon cans (4 to a case), five gallon buckets and fifty-five gallon metal drums.

CUSTOM FORMATIONS: Nationwide Protective Coatings has an on-site research and development lab for custom formulations of products not listed. Contact your Nationwide representative for more information.

CREDIT TERMS AND FIRST ORDERS: All orders must be paid for in advance, until credit has been established. Once a credit applicaiton has been approved, 50% payment in advance is required for first orders only (within credit limit). All subsequent orders will be governed on credit terms and credit limit, unless otherwise agreed.

FREIGHT POLICY: FOB Sarasota, Florida; Discounting of Freight established according to volume of order and destination

PRODUCT WARRANTIES: Every product manufactured by Nationwide has a minimum one year limited material warranty unless otherwise specifically stated within its product description. Warranties differ according to product limitations, application procedures and terms of of warranty. All Nationwide warranties are limited to material only and do not include leaks or labor.

QUALITY CONTROL: All products manufactured by Nationwide must pass strict quality control testing before, during and after production. No product is packaged until it has passed all testing within specification.

ULTRA GRIP

WATERPROOFING PRODUCTS

CODE #	PRODUCT NAME	PRODUCT DESCRIPTION	SPREAD RATE WEIGHT SOLIDS	SIZES
WATERPROOFING PRODUCTS				
5852-1 5852-5	ULTRA GRIP™ WATERPROOFING Hydrostatic Resistance Coating	A Light Textured Finish, High-Performance Commercial Grade 10 year, Concrete & Masonry Waterproofing Coating. Interior and Exterior use. Resists up to 10 P.S.I. of Negative or Positive Hydrostatic Pressure.	75-100 sf/gal., 65% +/- 2% V.O.C.: <100 g/l	1 Gallon 5 Gallon
5854-1 5854-5	ULTRA GRIP™ PLUS WATERPROOFING Hydrostatic Resistance Coating	A Smooth Finish, High-Performance Commercial Grade 15 year, Concrete & Masonry Waterproofing Coating. Interior and Exterior use. Resists up to 15 P.S.I. of Negative or Positive Hydrostatic Pressure.	75-100 sf/gal., 65% +/- 2% V.O.C.: <100 g/l	1 Gallon 5 Gallon
5850-1 5850-5	ULTRA GRIP™ CLEAR WATERPROOFING Hydrostatic Resistance Coating	Clear High-Gloss, High-Performance Commercial Grade, Concrete & Masonry Wall & Floor Waterproofing Coating. Interior and Exterior use. Resists up to 5 P.S.I. of Negative or Positive Hydrostatic Pressure.	75-100 sf/gal., 31% +/- 2% V.O.C.: <100 g/l	1 Gallon 5 Gallon
5851-1 5851-5	ULTRA GRIP™ SALTSHIELD WEATHERPROOFING Efflorescence Primer Sealer	Clear Concrete Protector that provides Weatherproofing & Protection against Road Salt, Household Cleaners, Gas, Oil & Efflorescence. Resists up to 5 P.S.I. of Negative or Positive Hydrostatic Pressure.	375-400 sf/gal., 20% +/- 2% V.O.C.: <100 g/l	1 Gallon 5 Gallon
5842-35	ULTRA GRIP™ DRY MIX	Powdered Masonry Coating for Waterproofing Above & Below Grade for Retaining Walls, Potable or Non-Potable Water Tanks, Fish Ponds, Basements, Brick Walls, Concrete, Brick, Cinder and Cement Blocks.	140-280 sf per 35 pounds V.O.C.: N/A	35 Pounds
5849-50	ULTRA GRIP™ RAPID PLUG	Fast Setting Mortar that Sets in 3-5 Minutes to Stop Active Leaks, Even Under Pressure. Seals: Open Joints, Very Large Cracks in Masonry Walls, Floor & Wall Joints, Utility Holes and Other Penetrations.	16 cu. in. per pound. V.O.C.: N/A	50 Pounds
TOOLS, CONTAINERS, SIGNS, ADVERTISING & MISCELLANEOUS				
8235-C	PERMACAULKER™	Cordless Refillable 32 ounce Caulk Gun	(Battery Included)	Each
8700-1	Bucket Opener	Metal LID-OFF Five Gallon Bucket Lid Opener	Standard	Each
8101-C	Pint or Quart Cans	CASE of Pint or Quart Metal Lined Cans & Lids	Metal	CASE (56)
8104-C 8105-C	1 Gallon Can 5 Gallon Pail	One Gallon Plastic Can, Lid and Bail 90 mil Five Gallon Plastic D.O.T. Bucket and Lid	1 Gallon 5 Gallon	CASE (36) PALLET (120)
----	Universal Tint Colorants	COLOR CODE #s: A-B-C-D-E-F-I-KX-L-M-S-T	----	per Gallon

COLOR FAN BOOK, FORMULA BOOK, PRODUCT INFO BOOK AND MARKETING KITS ARE AVAILABLE

• **ENERGY SAVING** • **INTRODUCING REFLECTIVE COOL COLOR TINTING** • **SOLAR REFLECTIVITY**
• **FADE RESISTANCE** • **ColorActiv® Technology** • **EXTREME DURABILITY**

8085-1 8081-S	Ceramic Spheres Wet Sample Demo Jars	Ceramic Borosilicate Spheres Dry Powder. Any Three Nationwide Products in Demo Jars	8 Ounce Jar 8 Ounce Jars	Each SET (3)
8010-1	Demo House Kit	2 Metal Houses, 2 Thermometers & 6 Interchangeable Roofs	----	Each
8030-1 8020-1 8025-1	Vehicle Magnets Yard Signs (Standard) Yard Signs (Large)	2 Heavy Duty Customized Magnetic Vehicle Signs Metal Frame Double Sided Yard Sign with Stand Metal Frame Double Sided Yard Sign with Stand	12" x 24" 18" x 24" 24" x 36"	Each Each Each
8705-1 8080-1	Wet Film Thickness Gauge Home Show Posters	Nationwide Wet Film Thickness Gauge. Nationwide Brochure/Product Posters	----- 18" x 24"	Each Each

A FULL LINE OF PAINT SUNDRIES INCLUDING ROLLER COVERS, PAINT TRAYS, TINT DISPENSERS, PAINT SHAKERS, CAULK AND CAULK GUNS, PAINT MIXERS & OTHER SPECIALTY EQUIPMENT - CALL TO INQUIRE FOR MORE INFORMATION.


Additional lead-time may be necessary on some items; Inquire for more information.

ACRYLOCOAT

DECORATIVE TEXTURE COATING SYSTEMS



SIMULATED "CEMENT/STUCCO LOOK"
PRE-MIXED, READY TO USE
ROLL OR SPRAY ON FINISH SYSTEM



15 YEAR LIMITED MATERIAL WARRANTY
www.acrylocoat.com

CODE #	PRODUCT NAME	PRODUCT DESCRIPTION	SPREAD RATE WEIGHT SOLIDS	SIZES
ACRYLOCOAT DECORATIVE TEXTURE WATERPROOFING COATING SYSTEMS				
70010-5	ACRYLOPRIME™ LIGHT GRAY Primer Sealer	Premium Quality High Solids Elastomeric Acrylic Waterproofing Adhesive Bonding Primer. A High Solids Resin Formula with a Low Pigment Concentration. Excellent Adhesion and Bonding	150-200 sf/gal. 71% +/- 2% V.O.C.: 85.0 g/l	5 Gallon
70015-5	ACRYLOLOCK™ High pH Sealer Fresh Concrete Sealer	Superior Performance Acrylic Clear High pH Sealer for Fresh and New Concrete or Masonry. Seals and Prepares most Chalking and High pH Surfaces for Adhesion of a Subsequent Coating. Excellent to Seal Fresh Mortar Joints on Concrete Block Construction.	300-400 sf/gal. 10% +/- 2% V.O.C.: 100.0 g/l	5 Gallon
70020-5 70020-T 70020-C	ACRYLOPATCH™ WHITE Case - 10.1oz Tubes	High Quality ELASTOMERIC Acrylic High Solids Waterproofing Caulk, Filler & Patching Compound. Seals Holes, Cracks, Joints and other Imperfections. Can be used on most uneven surfaces in small areas.	144 cu.in./gal. 64% +/- 2% V.O.C.: 125.0 g/l	5 Gallon Tube Case (12)
70070-5	ACRYLOSAND™ SAND Spray on Texture Coat	Elastomeric Acrylic Waterproofing Insulating Ceramic Decorative Texture Coating for Spray or Roll On Application. SAND Finish. If spraying a Hopper Type Sprayer is Required.	40-75 sf/gal. 64% +/- 2% V.O.C.: 73.2 g/l	5 Gallon
70071-5	ACRYLOSTUK™ COARSE Spray on Texture Coat	Elastomeric Acrylic Waterproofing Insulating Ceramic Decorative Texture Coating for Spray or Roll On Application. COARSE Finish. If spraying a Hopper Type Sprayer is Required.	40-75 sf/gal. 64% +/- 2% V.O.C.: 73.2 g/l	5 Gallon
70085-5	ACRYLOTHERM™ WHITE Ceramic Coat	Premium Elastomeric Acrylic Urethane Maximum Ceramic Content MID-COAT to Increase Performance to the ACRYLOSEAL™ & ACRYLOSATIN™ Smooth Finish Systems.	100-125 sf/gal. 60% +/- 2% V.O.C.: 85.2 g/l	5 Gallon
70075-5 Tintable	ACRYLOSEAL™ MATTE WB/DB/CB Matte Finish Coat 25 YEAR WARRANTY	Premium Quality ELASTOMERIC Acrylic Insulating CERAMIC Waterproofing Smooth Protective Finish Coat. FINAL Color Coat for the ACRYLOSAND™ & ACRYLOSTUK™ systems.	100-125 sf/gal. 61% +/- 2% V.O.C.: 76.0 g/l	5 Gallon Most Any Color Available
70080-5 Tintable	ACRYLOSATIN™ SATIN WB/DB/CB Satin Finish Coat 25 YEAR WARRANTY	Premium Quality Elastomeric Acrylic Insulating Ceramic Waterproofing Smooth Protective Finish Coat. FINAL Color Coat for the ACRYLOSAND™ & ACRYLOSTUK™ systems.	100-125 sf/gal. 54% +/- 2% V.O.C.: 94.0 g/l	5 Gallon Most Any Color Available
70000-5	ACRYLOCLEAR™ CLEAR GLOSS Sealer Coat 7 YEAR WARRANTY	100% Acrylic Waterproofing Protective Non-Yellowing Clear Gloss Sealer for most any Coated or Uncoated Surface including New and Old ACRYLOCOAT™ Texture Systems.	250-350 sf/gal. 24% +/- 2% V.O.C.: 50.0 g/l	5 Gallon Seals & Penetrates
70090-2 70090-4 70090-8	ACRYLOTAPE™	Spunbonded POLYESTER SEAM TAPE for Seam Sealing of Wood Panels, Sips, Gypsum Board, Densglass and more. Use ACRYLOPRIME™ as ACRYLOTAPE™ Saturant.	2" x 100' 4" x 100' 8" x 100'	1 Roll 1 Roll 1 Roll

REFERENCE LIST

We've Got You Covered Nationwide!

EXPORTING TO: AUSTRALIA, BAHAMAS, CANADA, CHINA, COSTA RICA, GREECE, INDIA, INDONESIA, MEXICO, NEW ZEALAND, PANAMA, PUERTO RICO, SINGAPORE, THAILAND, TURKEY, UNITED ARAB EMIRATES, U.S. VIRGIN ISLANDS, ETC.




AMERICAN CAN PERMABOND™ - PERMAKOTE®	Jacksonville FLORIDA	
ARIZONA NATIONAL GUARD ARMORY ULTRA SEAL™	Phoenix ARIZONA	
ATLANTIS RESORT ULTRA PRIME™ - ULTRA SEAL™ - SNOWBRITE™	Nassau BAHAMAS	
BACARDI CORPORATION PERMABOND™ - PERMAKOTE®	Nassau BAHAMAS	
BEST WESTERN FRANKLIN SQUARE ACRYLOSTUK™	Houghton MICHIGAN	
BOY SCOUTS OF AMERICA ULTRA PRIME™ - ULTRA SEAL™	Glen Allen VIRGINIA	
BROOKHAVEN NATIONAL LABORATORY PERMAPATCH™ - PERMABOND™ - PERMAKOTE PLUS®	Upton NEW YORK	
BUSCH GARDENS AMUSEMENT PARK PERMAGLAZE™	Tampa FLORIDA	
CENTENNIAL OLYMPIC PARK AQUAKOTE™ - ULTRA SEAL™ - PERMABOND™ - METAL-PRIME RED-OX® - PERMAKOTE PLUS®	Atlanta GEORGIA	
CITY OF ROCHESTER METAL-PRIME RED-OX™ - PERMAKOTE PLUS®	Rochester NEW YORK	
CVS PHARMACY PERMABOND™ - PERMAKOTE PLUS®	Passaic NEW JERSEY	
DIABLO CANYON NUCLEAR POWER PLANT PERMABOND™ - PERMAKOTE®	Avila Beach CALIFORNIA	
DOLLAR GENERAL STORE ACRYLOSAND™	Kauauna WISCONSIN	
DONZI MARINE METAL-PRIME™ - PERMAKOTE®	Sarasota FLORIDA	
E.I. DUPONT, INC. CERAMIC SHIELD™ - PERMAKOTE®	Axis ALABAMA	
FLORIDA EAST COAST RAILWAY PERMABOND™ - METAL-PRIME™ - PERMAKOTE® - PERMAKOTE PLUS®	St. Augustine FLORIDA	
GATORADE SUPER BOND™ - ULTRAKOTE™ - ULTRAKOTE XL™	Kissimmee FLORIDA	
GOLD KIST, INC. (Poultry Division) PERMABOND™ - PERMAKOTE®	Jacksonville FLORIDA	
HAWAIIAN TROPIC PERMABOND™ - PERMAKOTE PLUS®	Daytona Beach FLORIDA	
J.M. SMUCKERS FOOD PRODUCTS, INC. PERMAPATCH™ - METAL-PRIME™ - CERAMIC FORCE® - SNOWBRITE™ - ULTRA KOTE™	Watsonville CALIFORNIA	
JOHN F. KENNEDY INTERNATIONAL AIRPORT PERMABOND™ - PERMAKOTE PLUS®	Jamaica NEW YORK	
MANATEE COUNTY PORT MANATEE CERAMIC SHIELD™ - CERAMIC FORCE®	Manatee County FLORIDA	

REFERENCE LIST

NATO - NORTH ATLANTIC TREATY ORGANIZATION SNOWBRITE®	Istanbul TURKEY	
ORCHID MANOR - WAINAKU TOWERS - BAYSHORE TOWERS CERAMIC FORCE® - ULTRA SEAL™ - ACRATHANE™	Hilo HAWAII	
PANASONIC PERMAPATCH™ - PERMABOND™ - PERMAKOTE®	Atlanta GEORGIA	
PEPSICO, INC. SNOWBRITE™	Brooksville FLORIDA	
RADDISON HOTELS CERAMIC SHIELD™	St. Simons Island GEORGIA	
SALEM AND HOPE CREEK NUCLEAR POWER PLANTS PERMABOND™ - PERMAPATCH™ - PERMAKOTE® - PERMAKOTE PLUS®	Hancocks Bridge NEW JERSEY	
SHELL FACTORY PERMABOND™ - PERMAKOTE® - PERMAKOTE PLUS®	Fort Myers FLORIDA	
SMITHSONIAN INSTITUTION CERAMIC FORCE® - PERMAKOTE®	WASHINGTON, D.C.	
SOUTHERN CALIFORNIA EDISON POWER PLANT CERAMIC FORCE® - PERMAKOTE®	Laughlin NAVADA	
SOUTHERN INDIANA GAS AND ELECTRIC COMPANY PERMABOND™ - CONCRETE CLEAR GLOSS - ACRATHANE™	Columbus OHIO	
TELEDYNE CORPORATION PERMABOND™ - METAL-PRIME™ - PERMAKOTE® - PERMAKOTE PLUS®	Hollister CALIFORNIA	
THE HOME DEPOT ULTRA CLEAR™ - ULTRA PRIME™ - ULTRA SATIN™	MEXICO	
TROPICANA WEATHER GUARD™ - ULTRA KOTE XL™	Bradenton FLORIDA	
UNITED STATES COAST GUARD PERMABOND™ - PERMAKOTE PLUS®	Miami Beach FLORIDA	
U.S. AIR FORCE: HURLBURT FIELD ACRATHANE™ Concrete Stain and Coating Colored Red, White and Blue	Fort Walton Beach FLORIDA	
U.S. AIR FORCE: WARNER ROBINS-HUNTER AIRFIELD-MOODY/FORT STEWART METAL-PRIME RED-OX™ - PERMAKOTE PLUS®	Warner Robins GEORGIA	
U.S. DEPARTMENT OF DEFENSE PERMAMAT™	Great Lakes ILLINOIS	
U.S.S. ARIZONA MEMORIAL PERMAPATCH™ - PERMABOND™ - PERMAKOTE®	Pearl City HAWAII	
WACHOVIA BANK, N.A. ULTRA SEAL™	Charlotte NORTH CAROLINA	
WALMART (CIFRA) DISTRIBUTION CENTER METAL-PRIME RED-OX™ - PERMATAPE™ - PERMAKOTE®	MEXICO	
WELLCRAFT MARINE CORPORATION PERMABOND™ - PERMAPATCH™ - PERMAKOTE® - PERMAKOTE PLUS®	Avon Park FLORIDA	
WEYERHAEUSER COMPANY PERMABOND™ - PERMAKOTE®	British Columbia CANADA	
WHITING FIELD NAVAL AIR STATION PERMABOND™ - PERMAKOTE®	Pensacola FLORIDA	
WOOLWORTH CORPORATION (Team Edition Apparel) METAL-PRIME RED-OX™	Bradenton FLORIDA	

ROOF COATINGS

ELASTOMERIC ACRYLIC CERAMIC COATINGS

CODE #	PRODUCT NAME	PRODUCT DESCRIPTION	SPREAD RATE WEIGHT SOLIDS	SIZES
ELASTOMERIC WATERPROOFING INSULATING CERAMIC ROOF COATINGS				
7000-1 7000-5 7000-55	KOOL-KOTE™ REFLECTIVE Elastomeric Roof Coating	Bright White ELASTOMERIC Modified Acrylic, Reflective, Value Engineered Economy Grade 3 Year Waterproofing Roof Coating. Excellent Reflectivity, Adhesion, Hide & Mildew Resistance.	100-150 sf/gal. 55% +/- 2% V.O.C.: 59.0 g/l	1 Gallon 5 Gallon 55 Gallon
7020-1 7020-5 7020-55	SNOWBRITE™ PROTECTIVE Roof Coating 6 YEAR WARRANTY	 High Quality ELASTOMERIC Acrylic Insulating CERAMIC Roof Coating. Excellent Reflectivity, Hide, Adhesion, Waterproofing, Insulating & Mildew Resistance	100-150 sf/gal. 59% +/- 2% V.O.C.: 75.0 g/l	1 Gallon 5 Gallon 55 Gallon
7030-1 7030-5 7030-55	INSULKOTE™ INSULATING Roof Coating 8 YEAR WARRANTY	 Superior Quality ELASTOMERIC Acrylic Insulating CERAMIC Roof Coating. Excellent Reflectivity, Hide, Adhesion, Waterproofing, Insulating & Mildew Resistance.	100-150 sf/gal. 61% +/- 2% V.O.C.: 77.0 g/l	1 Gallon 5 Gallon 55 Gallon
7010-1 7010-5 7010-55	LIQUI-TARP® WATERPROOFING Rapid Roof Repair Coating	ELASTOMERIC Acrylic Temporary Roof Sealer Coating. Excellent Waterproofing & Sealing to Temporarily Protect Storm Damaged Roofs. Easy Application for Fast Repairs.	75-150 sf/gal. 52% +/- 2% V.O.C.: 64.7 g/l	1 Gallon 5 Gallon 55 Gallon
7550-1 7550-5 7550-55	PERMAKOTE® SEMI-GLOSS WATERPROOFING INSULATING Elastomeric Roof Coating 12/8 YEAR WARRANTY	 Premium Quality ELASTOMERIC Acrylic Insulating CERAMIC Waterproofing SEMI-GLOSS Roof Coating System. Superior Mildew Resistance and Durability. Efficient Soundproofing and Insulating Properties.	100-150 sf/gal. 52% +/- 2% V.O.C.: 94.0 g/l	1 Gallon 5 Gallon 55 Gallon
7520-1 7520-5 7520-55	PERMA1KOTE® WATERPROOFING INSULATING Single Coat Roof Coating 10 YEAR WARRANTY	 Premium Quality ELASTOMERIC Acrylic Insulating CERAMIC Waterproofing High Build Easy One Coat Application Roof Coating. Excellent UV Reflectivity. Superior Mildew Resistance & Durability.	50-75 sf/gal. 62% +/- 2% V.O.C.: 60.0 g/l	1 Gallon 5 Gallon 55 Gallon
7525-1 7525-5 7525-55	PERMAKOTE® WATERPROOFING INSULATING Elastomeric Roof Coating 15/10 YEAR WARRANTY	 Premium Quality ELASTOMERIC Acrylic Insulating CERAMIC Waterproofing Roof Coating System. Excellent UV Reflectivity. Superior Mildew Resistance and Durability.	100-150 sf/gal. 63% +/- 2% V.O.C.: 77.0 g/l	1 Gallon 5 Gallon 55 Gallon
7526-1 7526-5 7526-55	PERMASIL™ WATERPROOFING INSULATING Elasto-Silicone Roof Coating 12 YEAR WARRANTY	Premium quality Silicone Acrylic Elastomeric Roof Coating, with waterproofing & insulating ceramic properties. Excellent ultraviolet reflectivity & durability. Excellent mildew resistance.	100-150 sf/gal. 65% +/- 2% V.O.C.: 38.0 g/l	1 Gallon 5 Gallon 55 Gallon
7522-1 7522-5 7522-55	PERMAGARD® WATERPROOFING INSULATING Elastomeric Roof Coating 20 YEAR WARRANTY	 Premium Quality ELASTOMERIC Acrylic Insulating CERAMIC Waterproofing High Build Extreme Durability Roof Coating. Superior Mildew Resistance, Durability and UV Reflectivity.	100-125 sf/gal. 62% +/- 2% V.O.C.: 60.0 g/l	1 Gallon 5 Gallon 55 Gallon
7530-1 7530-5 7530-55	PERMAKOTE PLUS® Limited Ponding Coating 15/6 YEAR WARRANTY	 Unsurpassed Quality & Performance. ELASTOMERIC Acrylic, Insulating CERAMIC Coating System for SLOPED or FLAT Roofs with Limited Ponding Water. Excellent Waterproofing.	100-150 sf/gal. 64% +/- 2% V.O.C.: 75.0 g/l	1 Gallon 5 Gallon 55 Gallon
7530-1 7530-5 7530-55	PERMAKOTE® SUPER PLUS Ponding Water Coating 15/7 YEAR WARRANTY	ELASTOMERIC Acrylic Polyurea Fortified Insulating CERAMIC Reflective Waterproofing High Durability Ponding Water Formula Roof Coating and Troubleshooting Problem Area Roof Coating.	100-150 sf/gal. 61% +/- 2% V.O.C.: 54.0 g/l	1 Gallon 5 Gallon 55 Gallon
7535-1 7535-5 7535-55	PERMAKOTE® SILVER SEAL Silver METALLIC Roof Coating 12/8 YEAR WARRANTY	ELASTOMERIC Insulating CERAMIC Silver Metallic Look MATTE, SATIN or SEMI-GLOSS Decorative Waterproofing Industrial Wall & Sloped Roof Coating. Excellent Durability and Weatherability.	100-150 sf/gal. 52% +/- 2% V.O.C.: 95.6 g/l	1 Gallon 5 Gallon 55 Gallon
7524-1 7524-5 7524-55	PERMAGLAZE™ Acrylic Glaze Roof Coating 10 YEAR WARRANTY	Waterproofing Acrylic Urethane Insulating Ceramic Protective Glaze Coating. Energy saving, superior mildew resistance, ceramic insulation & soundproofing, excellent adhesion & U.V. ray reflectivity.	250-300 sf/gal. 39% +/- 5% V.O.C.: 176 g/l	1 Gallon 5 Gallon 55 Gallon
7500-1 7500-5 7500-55	PERMACLEAR™ Roof Sealer Clear Finish 7 YEAR WARRANTY	High Quality, 100% Acrylic, Clear Gloss Sealer & Finish for Rejuvenating, Preserving, Protecting & Beautifying most any Metal, Wood, Concrete, Masonry, Tile and most other Sloped Roof Surfaces.	250-350 sf/gal. 24% +/- 2% V.O.C.: 50.0 g/l	1 Gallon 5 Gallon 55 Gallon
7501-1 7501-5 7501-55	SHINGLE SEALER™ Roof Sealer Clear Finish 7 YEAR WARRANTY	High Quality, 100% Acrylic, Clear Gloss Sealer & Finish for Rejuvenating, Preserving, Protecting & Beautifying & Extending Shingle Roofs.	250-350 sf/gal. 24% +/- 2% V.O.C.: 50.0 g/l	1 Gallon 5 Gallon 55 Gallon

The Roof Coatings above are designed for Sloped Roofs, but PERMAKOTE PLUS® and PERMAKOTE® SUPER PLUS can be used on Flat, Well Draining Roof Surfaces; Inquire for more information. A Primer Coat of PERMABOND™, PERMAPRIME™ or METAL-PRIME RED-OX™ may be required on above Roof Coatings, sometimes a shorter length Warranty is available with no Primer; Inquire for Details.

Leaks ARE NOT Warranted; In Any Event Nationwide Protective Coating Mfrs., Inc. will not be liable or responsible for ANY past, present or future leaks. All Warranties are for Limited Material Replacement only and Require a Completed, Approved Registration before a Valid Warranty Certificate will be issued. Please inquire for further information.

ROOF COATINGS

PRIMERS - ADHESIVES - CAULKS - TAPE - MATTING

CODE #	PRODUCT NAME	PRODUCT DESCRIPTION	SPREAD RATE WEIGHT SOLIDS	SIZES
INTERIOR RADIATION CONTROL COATING for ROOFING RADIANT BARRIER PROTECTION				
7475-1 7475-5	ALUMASHIELD™ SILVER ALUMINUM Interior Radiation Control Radiant Barrier Coating	Aluminum Filled, Waterborne, Low Emissivity, Interior Radiation Control Coating (liquid applied thermal barrier) that performs like a Radiant Barrier. For underside of Roof Surface or Interior Walls. Dramatically Reduces & Blocks Radiant Heat from entering a structure.	400-500 sf/gal. 25% +/- 2% V.O.C.: 48.0 g/l	1 Gallon 5 Gallon
ELASTOMERIC WATERPROOFING PROTECTIVE PRIMERS for ROOF COATINGS				
7594-1 7594-5 7594-55	PERMAPRIME™ GRAY Primer Sealer	Premium Quality ELASTOMERIC Insulating CERAMIC Gray Primer and Sealer. Primes & Seals Most any Roofing Surface. Excellent Adhesion, Waterproofing & Fast Drying.	50-125 sf/gal. 50% +/- 2% V.O.C.: 85.0 g/l	1 Gallon 5 Gallon 55 Gallon
7595-1 7595-5 7595-55	PERMABOND™ CLEAR Adhesive Bonding Primer Sealer	Superior Quality ELASTOMERIC Waterproofing ADHESIVE Bonding Primer Sealer. Bonds & Seals Most any Roof Surface. Provides Outstanding Adhesion & Excellent Bonding between the Roof Surface & Roof Coating. Seals and Prevents Most Leaks. Great Fabric Saturant.	100-150 sf/gal. 40% +/- 2% V.O.C.: 95.0 g/l Excellent Bonding of Most Poorly Conditioned Surfaces	1 Gallon 5 Gallon 55 Gallon
5790-1 5790-5 5790-55	METAL-PRIME RED-OX™ RED IRON OXIDE Metal Primer Rust Sealer	Superior Performance Acrylic Red Iron Oxide High Solids, Zinc Rich, Waterproofing Rust Treatment, Metal Primer Sealer. Seals Rust, Corrosion and Oxidation to Retard and Prevent Deterioration.	100-150 sf/gal. 59% +/- 2% V.O.C.: 100.0 g/l	1 Gallon 5 Gallon 55 Gallon
VALUE ENGINEERED ECONOMY ROOF PRIMERS				
7090-1 7090-5 7090-55	ROOF PRIME™ WHITE Primer Sealer	ELASTOMERIC Vinyl Acrylic White Primer Sealer. Good Adhesion & Bonding. Value Engineered Economy Grade Primer for KOOL-KOTE™, SNOWBRITE™ & INSULKOTE™.	100-200 sf/gal. 52% +/- 2% V.O.C.: 10 g/l	1 Gallon 5 Gallon 55 Gallon
ELASTOMERIC WATERPROOFING NYLON FIBERED QUICK SEAM SEALER PRIMER				
7590-1 7590-5 7590-55	PERMAFIBE™ FIBERED WHITE Quick Seam Sealer	Premium Quality ELASTOMERIC Adhesive Nylon Filled, Waterproofing Quick Seam Sealer. Excellent Adhesion to Bond & Seal Roof Seams; Great for Metal Roof Seams.	50-75 sf/gal. 42% +/- 2% V.O.C.: 80.0 g/l	1 Gallon 5 Gallon 55 Gallon
ELASTOMERIC WATERPROOFING BRUSH or TROWEL GRADE CAULK & SEALANT				
7540-1 7540-5 7540-T 7540-C	PERMAPATCH™ Caulk & Sealant Brush/Trowel Grade Multi-Purpose Elastomeric Caulking	Superior Quality White ELASTOMERIC Acrylic Waterproofing High Solids Caulk, Filler & Sealant for Filling & Patching of Seams, Cracks, Vents, Holes, Etc. Multi-Purpose for Horizontal or Vertical Surfaces such as Roofs, Floors, Walls & More.	144 cubic inches/ gal. 64% +/- 2% V.O.C.: 125.0 g/l	1 Gallon 5 Gallon 55 Gallon Case (12 Tubes)
CORDLESS CAULKING GUN				
8235	PERMACAULKER™ Power Caulk Gun	Cordless (Battery Included), Refillable Caulking Gun for Rapid Efficiency. Excellent for use with PERMAPATCH™. A Complete Kit with Parts and Accessories.	-----	1 Kit
PERMANENT SEAM SEAL WATERPROOFING POLYESTER ROOF SEAM TAPE & MATTING				
9502-C 9504-C 9506-C 9508-C 9512-1	PERMATAPE™ Waterproofing Membrane Tape Great for Leaking Seams	Spunbonded Polyester Fabric Tape Permanently Seals Problem Areas Prone to Leaking such as Seams, Vents, Flashings, Cracks, Valleys, Etc. For Roofs and Walls. Special Order Widths & Lengths Available. (Saturants: PERMABOND™, METAL-PRIME RED-OX™ or ULTRA PRIME™)	2"x100' 4"x100' 6"x100' 8"x100' 12"x100'	24 per Case 12 per Case 12 per Case 12 per Case 1 Roll
9518-1 9536-1	PERMAMAT™ Waterproofing Membrane Matting Great for Large Areas	Spunbonded One-Ply Polyester Fabric Matting for Large Leak Repairs or New Roof Applications. Permanently Seals & Waterproofs Large Areas or Entire Roofing Surface. Special Order Widths & Lengths Available. (Saturants: PERMABOND™, METAL-PRIME RED-OX™ or ULTRA PRIME™)	18"x100' 36"x100'	18 inch 36 inch One-Ply Roofing Mat
CUSHIONED RUBBER COATING FOR FLOORS & WALKWAYS				
4195-1 4195-5	TREAD KOTE™ CUSHIONED RUBBER Flooring Surface Coating	Cold Fluid Applied, Wet Poured, Impervious, Cushioned Rubber Tire Walkway and Flooring System. Designed for a Wide Variety of Commercial and Industrial Applications. Excellent for Commercial Roof Walkways.	10-15 sf/gal. 75% +/- 2% V.O.C.: 69.4 g/l	1 Gallon 5 Gallon

Leaks ARE NOT Warranted; In Any Event Nationwide Protective Coating Mfrs., Inc. will not be liable or responsible for ANY past, present or future leaks. All Warranties are for Limited Material Replacement only and Require a Completed, Approved Registration before a Valid Warranty Certificate will be issued. Please inquire for further information.

U.S. Toll Free: 1.800.423.7264 • 941.753.7500 • Email: info@natcoat.net • www.nationwidecoatings.com

ZERO V.O.C. CERAMIC PAINTS

INSULATING CERAMIC LATEX PAINTS & PRIMERS

CODE #	PRODUCT NAME	PRODUCT DESCRIPTION	SPREAD RATE WEIGHT SOLIDS	SIZES
2795-1 2795-5 2795-55	ULTRA BLOCK™ CLEAR Stain Blocking Sealer	Professional Grade, Adhesive Bonding Primer Sealer & Stain Blocker. Excellent Tannin & Alkali Resistance. Seals most Stains: Water, Tobacco, Nicotine, Inks, Crayons, Wood Knots and Sap Streaks.	75-150 sf/gal. 48% +/- 2% V.O.C.: 65.0 g/l	1 Gallon 5 Gallon 55 Gallon
2585-1 2585-5 2585-55	SUPER BLOCK™ FLAT WHITE/WB Stain Blocking Primer	Waterborne, Multi-Use Fast Drying, Acrylic Waterproofing, Highly Alkali Resistant, Bonding Primer Sealer and Stain Blocker. Seals Most Stains Including: Water, Lipstick, Tannin, Tobacco, Nicotine, Inks, Crayons and Knots or Sap Streaks.	200-300 sf/gal. 52% +/- 2% V.O.C.: 146.0 g/l	1 Gallon 5 Gallon 55 Gallon
2575-1 2575-5 2575-55	SUPER BOND™ EXTREME ADHESIVE Clear Bonding Primer	Fast Dry Clear Acrylic Bonding Extreme Adhesive and PVC Primer. Exceptional Adhesion Bonds to most Surfaces including PVC Pipe, most Plastics, Glass, Aluminum, Rubber Roofs and Galvanized Metal.	200-400 sf/gal. 20% +/- 2% V.O.C.: 50.0 g/l	1 Gallon 5 Gallon 55 Gallon
2595-1 2595-5 2595-55	CHALK FORCE™ CLEAR High pH & Chalk Sealer	Superior Performance Acrylic High pH Surface Conditioner and Chalk Sealer. Seals and Prepares most Chalking and High pH (Fresh Cement/Stucco) Surfaces for Adhesion of Paints or Coatings.	300-400 sf/gal. 15% +/- 2% V.O.C.: 100.0 g/l	1 Gallon 5 Gallon 55 Gallon
5790-1 5790-5 5790-55	METAL-PRIME RED-OX™ RED IRON OXIDE Metal Primer Rust Sealer	Superior Performance Acrylic Red Iron Oxide High Solids, Zinc Rich, Waterproofing Rust Treatment, Metal Primer Sealer. Seals Rust, Corrosion and Oxidation to Retard and Prevent Deterioration.	100-150 sf/gal. 59% +/- 2% V.O.C.: 100.0 g/l	1 Gallon 5 Gallon 55 Gallon
2740x-C 2740x-1 2740x-5	STUKKOPATCH™ Sand, Rough or Smooth Caulk & Stucco Patch	Pre-mixed, Ready-To-Use, Waterproofing Acrylic, Sand, Rough or Smooth Finish Patching Compound for most any Surface. Stucco-Look Finish Quickly Fills, Repairs and Seals Cracks, Chips and Fractures of Walls, Stucco, Cement, Wood, Metal and most other Surfaces.	25-50 sf/gal. 63% +/- 2% V.O.C.: 73.2 g/l	12 Tubes 1 Gallon 5 Gallon
ENVIRO-3000® ZERO V.O.C. INTERIOR PAINT LINE - 20 YEAR LIMITED WARRANTY				
1090-1 1090-5 1090-55	ENVIRO-3000® PRIMER WHITE/WB Wall, Ceiling & Trim Primer	Quality Modified Acrylic Zero V.O.C. Insulating CERAMIC Primer. High Resin Concentration Formula has Excellent Adhesion and Sealing on most Properly Prepared Interior Surfaces.	250-400 sf/gal. 55% +/- 2% V.O.C.: 0 g/l	1 Gallon 5 Gallon 55 Gallon
1000-1 1000-5 1000-55	ENVIRO-3000® FLAT WB/DB/CB Wall, Ceiling & Trim Paint	Quality Modified Acrylic Zero V.O.C. Insulating CERAMIC FLAT Finish Wall, Ceiling & Trim Paint. High Hide, Excellent Scrubbability, Stain Resistance and Touch Up. Excellent for most Interior Surfaces.	250-400 sf/gal. 65% +/- 2% V.O.C.: 0 g/l	1 Gallon 5 Gallon 55 Gallon
1025-1 1025-5 1025-55	ENVIRO-3000® SATIN WB/DB/CB Wall, Ceiling & Trim Paint	Quality Modified Acrylic Zero V.O.C. Insulating CERAMIC SATIN Finish Wall, Ceiling & Trim Paint. High Hide, Excellent Scrubbability, Stain Resistance and Touch Up. Excellent for most Interior Surfaces.	250-400 sf/gal. 51% +/- 2% V.O.C.: 0 g/l	1 Gallon 5 Gallon 55 Gallon
1050-1 1050-5 1050-55	ENVIRO-3000® SEMI-GLOSS WB/DB/CB Wall, Ceiling & Trim Paint	Quality Modified Acrylic Zero V.O.C. Insulating CERAMIC SEMI-GLOSS Finish Wall, Ceiling & Trim Paint. High Hide, Excellent Scrubbability, Stain Resistance, Gloss Retention & Touch Up.	250-400 sf/gal. 49% +/- 2% V.O.C.: 0 g/l	1 Gallon 5 Gallon 55 Gallon
ENVIRO-4000® ZERO V.O.C. EXTERIOR PAINT LINE - 15 YEAR LIMITED WARRANTY				
2090-1 2090-5 2090-55	ENVIRO-4000® PRIMER WHITE/WB House & Trim Primer	Quality Modified Acrylic Zero V.O.C. Insulating CERAMIC Primer. High Resin Concentration Formula has Excellent Adhesion and Sealing on most Properly Prepared Exterior Surfaces.	200-350 sf/gal. 54% +/- 2% V.O.C.: 0 g/l	1 Gallon 5 Gallon 55 Gallon
2000-1 2000-5 2000-55	ENVIRO-4000® FLAT WB/DB/CB House & Trim Paint	Quality Modified Acrylic Zero V.O.C. Insulating CERAMIC FLAT Finish House & Trim Paint. High Hide, Excellent Durability, Stain Resistance and Touch Up. Excellent for most Exterior Surfaces.	200-350 sf/gal. 54% +/- 2% V.O.C.: 0 g/l	1 Gallon 5 Gallon 55 Gallon
2025-1 2025-5 2025-55	ENVIRO-4000® SATIN WB/DB/CB House & Trim Paint	Quality Modified Acrylic Zero V.O.C. Insulating CERAMIC SATIN Finish House & Trim Paint. High Hide, Excellent Durability, Stain Resistance and Touch Up. Excellent for most Exterior Surfaces.	200-350 sf/gal. 52% +/- 2% V.O.C.: 0 g/l	1 Gallon 5 Gallon 55 Gallon
2050-1 2050-5 2050-55	ENVIRO-4000® SEMI-GLOSS WB/DB/CB House & Trim Paint	Quality Modified Acrylic Zero V.O.C. Insulating CERAMIC SEMI-GLOSS Finish House & Trim Paint. High Hide, Excellent Durability, Stain Resistance, Gloss Retention & Touch Up. Excellent for most Exterior Surfaces.	200-350 sf/gal. 50% +/- 2% V.O.C.: 0 g/l	1 Gallon 5 Gallon 55 Gallon

ENERGY SAVING CERAMICS • EASY APPLICATION & WATER CLEAN-UP

U.S. Toll Free: 1.800.423.7264 • 941.753.7500 • Email: info@natcoat.net • www.nationwidecoatings.com

LOW V.O.C. CERAMIC PAINTS

INSULATING CERAMIC LATEX PAINTS & PRIMERS


CODE #	PRODUCT NAME	PRODUCT DESCRIPTION	SPREAD RATE WEIGHT SOLIDS	SIZES
2585-1 2585-5 2585-55	SUPER BLOCK™ FLAT WHITE/WB Stain Blocking Primer	Multi-Use, Fast Dry, Acrylic Bonding Primer Sealer & Stain Blocker. Excellent Tannin & Alkali Resistance . Seals most Stains: Water, Tobacco, Nicotine, Inks, Crayons, Wood Knots and Sap Streaks.	200-300 sf/gal. 52% +/- 2% V.O.C.: 146.0 g/l	1 Gallon 5 Gallon 55 Gallon
2575-1 2575-5 2575-55	SUPER BOND™ EXTREME ADHESIVE Clear Bonding Primer	Fast Dry Clear Acrylic Bonding Extreme Adhesive and PVC Primer. Exceptional Adhesion Bonds to most Surfaces including PVC Pipe, most Plastics, Glass, Aluminum, Rubber Roofs and Galvanized Metal.	200-400 sf/gal. 20% +/- 2% V.O.C.: 50.0 g/l	1 Gallon 5 Gallon 55 Gallon
2595-1 2595-5 2595-55	CHALK FORCE™ CLEAR High pH & Chalk Sealer	Superior Performance Acrylic High pH Surface Conditioner and Chalk Sealer. Seals and Prepares most Chalking and High pH (Fresh Cement/Stucco) Surfaces for Adhesion of Paints or Coatings.	300-400 sf/gal. 15% +/- 2% V.O.C.: 100.0 g/l	1 Gallon 5 Gallon 55 Gallon
5790-1 5790-5 5790-55	METAL-PRIME RED-OX™ RED IRON OXIDE Metal Primer Rust Sealer	Superior Performance Acrylic Red Iron Oxide High Solids, Zinc Rich, Waterproofing Rust Treatment, Metal Primer Sealer. Seals Rust, Corrosion and Oxidation to Retard and Prevent Deterioration.	100-150 sf/gal. 59% +/- 2% V.O.C.: 100.0 g/l	1 Gallon 5 Gallon 55 Gallon
2740x-C 2740x-1 2740x-5	STUKKOPATCH™ Sand, Rough or Smooth Caulk & Stucco Patch	Pre-mixed, Ready-To-Use, Waterproofing Acrylic, Sand, Rough or Smooth Finish, Patching Compound for most any Surface. Stucco-Look Finish Quickly Fills, Repairs and Seals Cracks, Chips and Fractures.	25-50 sf/gal. 86% +/- 2% V.O.C.: 100.0 g/l	12 Tubes 1 Gallon 5 Gallon
CERAMIC SHIELD™ LOW V.O.C. INTERIOR PAINT LINE - 20 YEAR LIMITED WARRANTY				
1590-1 1590-5 1590-55	CERAMIC SHIELD™ PRIMER WHITE/WB Wall, Ceiling & Trim Primer	Quality Modified Acrylic Low V.O.C. Insulating CERAMIC Primer. High Resin Concentration Formula has Excellent Adhesion and Sealing on most Properly Prepared Interior Surfaces.	250-400 sf/gal. 54% +/- 2% V.O.C.: 77.0 g/l	1 Gallon 5 Gallon 55 Gallon
1500-1 1500-5 1500-55	CERAMIC SHIELD™ FLAT WB/DB/CB Wall, Ceiling & Trim Paint	Quality Modified Acrylic Low V.O.C. Insulating CERAMIC FLAT Finish Wall, Ceiling & Trim Paint. High Hide, Excellent Scrubbability, Stain Resistance and Touch Up. Excellent for most Interior Surfaces.	250-400 sf/gal. 54% +/- 2% V.O.C.: 56.0 g/l	1 Gallon 5 Gallon 55 Gallon
1525-1 1525-5 1525-55	CERAMIC SHIELD™ SATIN WB/DB/CB Wall, Ceiling & Trim Paint	Quality Modified Acrylic Low V.O.C. Insulating CERAMIC SATIN Finish Wall, Ceiling & Trim Paint. High Hide, Excellent Scrubbability, Stain Resistance and Touch Up. Excellent for most Interior Surfaces.	250-400 sf/gal. 52% +/- 2% V.O.C.: 65.0 g/l	1 Gallon 5 Gallon 55 Gallon
1550-1 1550-5 1550-55	CERAMIC SHIELD™ SEMI-GLOSS WB/DB/CB Wall, Ceiling & Trim Paint	Quality Modified Acrylic Low V.O.C. Insulating CERAMIC SEMI-GLOSS Finish Wall, Ceiling & Trim Paint. High Hide, Excellent Scrubbability, Stain Resistance, Gloss Retention & Touch Up.	250-400 sf/gal. 52% +/- 2% V.O.C.: 95.6 g/l	1 Gallon 5 Gallon 55 Gallon
SUPER CERAMIC ONE KOTE™ LOW LUSTER HOUSE PAINT - 10 YEAR LIMITED WARRANTY				
2930-1 2930-5 2930-55	SUPER CERAMIC ONE KOTE™ LOW LUSTER WB/DB/CB High Hide House Paint	Single Coat, Exterior or Interior, High Hide, 100% Acrylic, Insulating CERAMIC, Waterproofing, Wall and Trim House Paint. Insulating and Soundproofing with an Easy to Apply, Beautiful, LOW LUSTER Finish.	200-350 sf/gal. 51% +/- 2% V.O.C.: 150.0 g/l	1 Gallon 5 Gallon 55 Gallon
CERAMIC FORCE® LOW V.O.C. EXTERIOR PAINT LINE - 15 YEAR LIMITED WARRANTY				
2590-1 2590-5 2590-55	CERAMIC FORCE® PRIMER WHITE/WB House & Trim Primer	Quality Modified Acrylic Low V.O.C. Insulating CERAMIC Primer. High Resin Concentration Formula has Excellent Adhesion and Sealing on most Properly Prepared Exterior Surfaces.	200-350 sf/gal. 56% +/- 2% V.O.C.: 78.0 g/l	1 Gallon 5 Gallon 55 Gallon
2500-1 2500-5 2500-55	CERAMIC FORCE® FLAT WB/DB/CB House & Trim Paint	Quality Modified Acrylic Low V.O.C. Insulating CERAMIC FLAT Finish House & Trim Paint. High Hide, Excellent Durability, Stain Resistance and Touch Up. Excellent for most Exterior Surfaces.	200-350 sf/gal. 55% +/- 2% V.O.C.: 84.0 g/l	1 Gallon 5 Gallon 55 Gallon
2525-1 2525-5 2525-55	CERAMIC FORCE® SATIN WB/DB/CB House & Trim Paint	Quality Modified Acrylic Low V.O.C. Insulating CERAMIC SATIN Finish House & Trim Paint. High Hide, Excellent Durability, Stain Resistance and Touch Up. Excellent for most Exterior Surfaces.	200-350 sf/gal. 54% +/- 2% V.O.C.: 65.0 g/l	1 Gallon 5 Gallon 55 Gallon
2550-1 2550-5 2550-55	CERAMIC FORCE® SEMI-GLOSS WB/DB/CB House & Trim Paint	Quality Modified Acrylic Low V.O.C. Insulating CERAMIC SEMI-GLOSS Finish House & Trim Paint. High Hide, Excellent Durability, Stain Resistance & Touch Up. Excellent for most Exterior Surfaces.	200-350 sf/gal. 52% +/- 2% V.O.C.: 171.0 g/l	1 Gallon 5 Gallon 55 Gallon
WEATHER GUARD™ LOW V.O.C. INTERIOR AND EXTERIOR LATEX ENAMEL TRIM PAINT				
5750-1 5750-5 5750-55	WEATHER GUARD™ Flat, Semi-Gloss or Gloss White/WB/DB/CB 10 YEAR WARRANTY	Quality Acrylic Low V.O.C. Insulating CERAMIC Latex Enamel FLAT, SEMI-GLOSS or GLOSS Finish for Interior or Exterior Ceilings, Doors, Windows, Trim and Walls. High Hide, Excellent Durability & Scrubbability, Stain Resistance, Gloss Retention & Touch Up.	200-300 sf/gal. 50% +/- 2% V.O.C.: 125-170 g/l	1 Gallon 5 Gallon 55 Gallon

CERAMIC PRO™ Contractors Grade Interior & Exterior Economy Paint Lines - Inquire for Pricing.

U.S. Toll Free: 1.800.423.7264 • 941.753.7500 • Email: info@natcoat.net • www.nationwidecoatings.com

SPECIALTY PRODUCTS

MISCELLANEOUS SPECIALTY FORMULATIONS

CODE #	PRODUCT NAME	PRODUCT DESCRIPTION	SPREAD RATE WEIGHT SOLIDS	SIZES
5852-5 5850-5	ULTRA GRIP™ WHITE ULTRA GRIP™ CLEAR Masonry Waterproofing Coating Great for Leaking Walls/Basements	High Performance Commercial Grade Concrete & Masonry Waterproofing Coating. Will Resist up to 15 PSI of Negative or Positive Hydrostatic Pressure. CLEAR for Floors & Horizontal Surfaces (Top Coat Needed for Vehicle Traffic).	75-100 sf/gal. 65% +/- 2% V.O.C.: <100 g/l	5 Gallon 5 Gallon
7475-1 7475-5	ALUMASHIELD™ SILVER ALUMINUM Interior Radiation Control Radiant Barrier Coating	Aluminum Filled, Waterborne, Low Emissivity, Interior Radiation Control Coating (liquid applied thermal barrier) that performs like a Radiant Barrier. For underside of Roof Surface or Interior Walls. Dramatically Reduces & Blocks Radiant Heat from entering a structure.	400-500 sf/gal. 25% +/- 2% V.O.C.: 48.0 g/l	1 Gallon 5 Gallon
9275-4 9275-20	FLOORGRIP NON-SKID ADDITIVE	A polypropylene fine clear powder aggregate that provides an extremely durable slip resistant finish. Long-lasting protection that easily stirs into most water-based paints and coatings.	4 Ounces/gal.	4 Ounces 20 Ounces
7900-1 7900-5	PERMAUREA™ CLEAR Polyurea Coating	Single Component Waterborne Polyurea Clear Coating for Most Any Surface. Excellent Film Hardness, Flexibility, Waterproofing, U.V., Solvent & Abrasion Resistance.	250-350 sf/gal. 42% +/- 2% V.O.C.: 100.0 g/l	1 Gallon 5 Gallon
2595-1 2595-5 2595-55	CHALK FORCE™ CLEAR High pH & Chalk Sealer	Superior Performance Acrylic High pH Surface Conditioner and Chalk Sealer. Seals and Prepares most Chalking and High pH (Fresh Cement/Stucco) Surfaces for Adhesion of Paints or Coatings.	300-400 sf/gal. 15% +/- 2% V.O.C.: 100.0 g/l	1 Gallon 5 Gallon 55 Gallon
2794-1 2794-5	NWX™ BLOCK FILLER FLAT WHITE/WB Smooth or Textured Primer	White Smooth or Textured Heavy-Bodied Block Filler Primer. A High Pigment Formulation with Ceramics allows Filling, Sealing and Insulating of most any New or Existing Interior or Exterior Surface.	50-100 sf/gal. 50% +/- 2% V.O.C.: 85.0 g/l	1 Gallon 5 Gallon 55 Gallon
9300-1 9300-5	INSUL-3K™ INSULATING CERAMIC Microspheres Additive	Insulating High-Tech Mixture of Synthetic Silicate Solid Microsphere Ceramics for Adding to most any Paint or Coating to Provide Insulating Properties. Provides Extra Durability, Abrasion and Scrub Resistance.	-----	1 Pound 5 Pound
2740x-1 2740x-5 2740x-T	STUKKOPATCH™ Sand, Rough or Smooth Stucco Repair	Ready-To-Use, Waterproofing Acrylic Stucco Finish Textured Repair Patch, Crack Sealer & Caulk for Chips and Cracks in Stucco, Cement and Most Surfaces. Specify Sand, Rough or Smooth.	25-50 sf/gal. 86% +/- 2% V.O.C.: 100.0 g/l	1 Gallon 5 Gallon Tube
9700-1 9700-C	AQUAMEND™ WHITE Wet Surface Repair Putty	Epoxy Based Hand-Kneadable Putty that Mixes in One Minute for Emergency & Permanent Repairs to Damp, Wet Areas and Underwater Substrates. For Metal, Wood, Fiberglass, Concrete, Glass and other Surfaces.	4 Ounce Tubes Special Order Item - Minimum Order May Apply	1 Tube Case of 12
5840-1 5840-5 5840-55	ULTRATHANE CLEAR GLOSS Urethane 40% Solids	 100% Urethane with 40% active solids, Protective Gloss Urethane Coating, Excellent for Interior or Exterior Uses Including Most Sealed & Previously Coated Concrete.	200-400 sf/gal. 40% +/- 2% V.O.C.: 119.0 g/l	1 Gallon 5 Gallon 55 Gallon
4195-1 4195-5	TREAD KOTE™ ELASTOMERIC WALKWAY Rubber Tire Cushioning Material	Cushioned Flooring System, Designed for a Wide Variety of Commercial and Industrial Applications. Roof Tops, Equestrian Flooring, Playgrounds, Outdoor Paths & more.	10-15 sf/gal. 75% +/- 2% V.O.C.: 69.4 g/l	1 Gallon 5 Gallon
9250-1 9250-5	SKID-EX™ NON-SKID ADDITIVE	Anti-Skid / Anti-Slip Additive for use in most any Latex Clear Coat, Paint or Stain for Reducing Slip & Skid.	Mesh Size 40-60 250-420 Microns	8 Ounces 40 Ounces
407X-1 407X-5 407X-55	METALUX™ ENAM SILVER, COPPER, BRASS, BRONZE & GOLD 10 YEAR WARRANTY	Acrylic Latex Enamel Metallic Look Decorative Industrial Coating. Excellent Durability and Beautiful SEMI-GLOSS Finish. Many other Decorative Metallic Look and Metal Flake Colors Available.	100-150 sf/gal. 48% +/- 2% V.O.C.: 170.0 g/l Enamel Metallic Semi-Gloss Finish	1 Gallon 5 Gallon 55 Gallon
4900-1 4900-5 4900-55	SURE-LINE™ TRAFFIC PAINT White / Yellow / Blue	Acrylic Traffic Marking Paint. Fast Dry with Excellent Resistance to Weather, Water, Traffic, Oil, Grease and Chemicals. Excellent for Parking Lots, Roads, Warehouses, Airfields, Etc.	125-175 sf/gal. 32% +/- 2% V.O.C.: 99.0 g/l	1 Gallon 5 Gallon 55 Gallon
9600-1 9600-5	DIAMOND DUST™ SPARKLE CHIPS	Clear Mica Sparkle Chips for adding a Sparkle/Glitter Effect. Applied to the surface of a Wet Paint or Coating. Machine or Manual Application.	1 lb. per 100 s.f.	1 Pound 5 Pound

U.S. Toll Free: 1.800.423.7264 • 941.753.7500 • Email: info@natcoat.net • www.nationwidecoatings.com

SPECIALTY PRODUCTS

ELASTOMERIC ACRYLIC FORMULATIONS

CODE #	PRODUCT NAME	PRODUCT DESCRIPTION	SPREAD RATE WEIGHT SOLIDS	SIZES
7010-1 7010-5 7010-55	LIQUI-TARP® TEMPORARY Roof Repair Coating	ELASTOMERIC Acrylic Temporary Roof Sealer Coating. Excellent Waterproofing & Sealing to Temporarily Protect Storm Damaged Roofs. Easy Application for Fast Repairs. Available in White & Limited Colors.	75-150 sf/gal. 52% +/- 2% V.O.C.: 64.7 g/l	1 Gallon 5 Gallon 55 Gallon
4000-1 4000-5 4000-55	ENCAPSULGUARD™ FLAT Lead Paint / Asbestos Abatement 15 YEAR WARRANTY	ELASTOMERIC Encapsulment for an Economical, Effective and Safe Sealing of Lead Based Paints & Asbestos. Excellent Resistance against Chipping, Cracking, Peeling, Abrasion, Movement & Water.	100-150 sf/gal. 62% +/- 2% V.O.C.: 75.0 g/l Pastel/Tint Base Only	1 Gallon 5 Gallon 55 Gallon
2925-1 2925-5 2925-55	ULTRA FORCE™ LOW LUSTER Wall & Trim Paint 17 YEAR WARRANTY	High-Tech Hybrid Acrylic & Elastomeric Resin Formula Insulating CERAMIC, Exterior Wall and Trim Paint with a Beautiful LOW LUSTER Finish. Excellent for Apartments, Condominiums, Warehouses, Motels, Offices, Residential Dwellings & more.	150-250 sf/gal. 57% +/- 2% V.O.C.: 98.4 g/l	1 Gallon 5 Gallon 55 Gallon
4025-1 4025-5 4025-55	ULTRA KOTE™ MATTE Industrial Coating 25 YEAR WARRANTY	Superior Quality ELASTOMERIC with 100% Acrylic Resin & Urethane Resin, Insulating CERAMIC, Waterproofing Industrial Maintenance Coating. Exceptional Chemical, Water, Mildew & Dirt Pickup Resistance.	100-150 sf/gal. 62% +/- 2% V.O.C.: 48.0 g/l Great for Tanks, Pipes, Equipment, Etc.	1 Gallon 5 Gallon 55 Gallon
4035-1 4035-5 4035-55	SATIN KOTE™ SATIN Industrial Coating 25 YEAR WARRANTY	Superior Quality, SATIN FINISH, ELASTOMERIC with 100% Acrylic Resin & Urethane Resin, Insulating CERAMIC, Waterproofing Industrial Maintenance Coating. Exceptional Chemical, Water, Mildew & Dirt Pickup Resistance.	100-150 sf/gal. 53% +/- 2% V.O.C.: 94.0 g/l	1 Gallon 5 Gallon 55 Gallon
4030-1 4030-5 4030-55	ULTRA KOTE XL™ MATTE Industrial Insulator 25 YEAR WARRANTY	Superior Insulating CERAMIC ELASTOMERIC Acrylic, with URETHANE, Waterproofing, Industrial Coating with High Load, Maximum CERAMIC Content for Unsurpassed Soundproofing & Insulation Properties.	100-150 sf/gal. 59% +/- 2% V.O.C.: 85.2 g/l Excellent Performance Upgrade Mid-Coat	1 Gallon 5 Gallon 55 Gallon
757X-1 757X-5 757X-55	METALUX™ ELASTO SILVER, COPPER, BRASS, BRONZE & GOLD 12/10 YEAR WARRANTY	ELASTOMERIC Acrylic CERAMIC Metallic Look Decorative Industrial Coating. Excellent Durability and Beautiful MATTE, SATIN or SEMI-GLOSS Finish. Many other Decorative Metallic Look and Metal Flake Colors Available. METALLIC COLORS ALSO AVAILABLE as a SMOOTH FINISH SEMI-GLOSS LATEX ENAMEL; SEE METALUX™ ENAM DESCRIPTION on PAGE #8	125-175 sf/gal. 52% +/- 2% V.O.C.: 95.6 g/l Minimum Order May Apply	1 Gallon 5 Gallon 55 Gallon
7540-1 7540-5 7540-T 7541-1 7541-5	FLEXPATCH™ TAN Tan Wood Filler	Elastomeric Waterproofing High Solids Trowel or Brush Grade Tan Wood Filler Caulk and Sealant. Excellent Crack Resistance and Bonding with Minimal Shrinkage.	144 Cu. Inch/gal V.O.C.: 44.1 g/l	1 Gallon 5 Gallon 1 Tube
7790-1 7790-5 7790-55	BUS-PRIME™ TRANSPARENT WHITE Vehicle Primer	Premium Quality ELASTOMERIC Acrylic ADHESIVE Waterproofing Transparent White Primer. Excellent Adhesion and Bonding to most any Bus and Recreational Vehicle Surface.	75-150 sf/gal. 42% +/- 2% V.O.C.: 95.0 g/l	1 Gallon 5 Gallon 55 Gallon
7740-1 7740-5 7740-55	BUS-KOTE™ MATTE or SEMI-GLOSS Vehicle Coating 15 YEAR WARRANTY	High Quality ELASTOMERIC Acrylic CERAMIC Insulating Bus & Recreational Vehicle Protective Coating. Insulates against Hot & Cold Temperatures, Excellent Waterproofing, plus Beautifies and Protects.	100-150 sf/gal. 64% +/- 2% V.O.C.: 74.0 g/l Excellent for Recreational Vehicles & Buses	1 Gallon 5 Gallon 55 Gallon
9000-1 9000-5 9000-55	ECO-REZIN™ CLEAR Acrylic Adhesive	A Transparent Clear, ELASTOMERIC Acrylic Adhesive 50% Solids Resin. Excellent Adhesion, Bonding and Waterproofing. Superior Adhesion to most Substrates.	50-150 sf/gal. 50% +/- 2% V.O.C.: 0 g/l	1 Gallon 5 Gallon 55 Gallon

INQUIRE FOR CUSTOM FORMULATIONS & PACKAGING

U.S. Toll Free: 1.800.423.7264 • 941.753.7500 • Email: info@natcoat.net • www.nationwidecoatings.com

ELASTOMERIC WALL COATINGS










ULTRA INSULATING PRIMER & CERAMIC COATINGS

CODE #	PRODUCT NAME	PRODUCT DESCRIPTION	SPREAD RATE WEIGHT SOLIDS	SIZES
2795-1 2795-5 2795-55	ULTRA BLOCK™ CLEAR Stain Blocking Sealer	Professional Grade, Adhesive Bonding Primer Sealer & Stain Blocker. Excellent Tannin & Alkali Resistance. Seals most Stains: Water, Tobacco, Nicotine, Inks, Crayons, Wood Knots and Sap Streaks.	75-150 sf/gal. 48% +/- 2% V.O.C.: 65.0 g/l	1 Gallon 5 Gallon 55 Gallon
2585-1 2585-5 2585-55	SUPER BLOCK™ FLAT WHITE/WB Stain Blocking Primer	Waterborne, Multi-Use Fast Drying, Acrylic Waterproofing, Highly Alkali Resistant, Bonding Primer Sealer and Stain Blocker. Seals Most Stains Including: Water, Lipstick, Tannin, Tobacco, Nicotine, Inks, Crayons and Knots or Sap Streaks.	200-300 sf/gal. 52% +/- 2% V.O.C.: 146.0 g/l	1 Gallon 5 Gallon 55 Gallon
2575-1 2575-5 2575-55	SUPER BOND™ EXTREME ADHESIVE Clear Bonding Primer	Fast Dry Clear Acrylic Bonding Extreme Adhesive and PVC Primer. Exceptional Adhesion Bonds to most Surfaces including PVC Pipe, most Plastics, Glass, Aluminum, Rubber Roofs and Galvanized Metal.	200-400 sf/gal. 20% +/- 2% V.O.C.: 50.0 g/l	1 Gallon 5 Gallon 55 Gallon
2595-1 2595-5 2595-55	CHALK FORCE™ CLEAR High pH & Chalk Sealer	Superior Performance Acrylic High pH Surface Conditioner and Chalk Sealer. Seals and Prepares most Chalking and High pH (Fresh Cement/Stucco) Surfaces for Adhesion of Paints or Coatings.	300-400 sf/gal. 15% +/- 2% V.O.C.: 100.0 g/l	1 Gallon 5 Gallon 55 Gallon
5790-1 5790-5 5790-55	METAL-PRIME RED-OX™ RED IRON OXIDE Metal Primer Sealer Rust Treatment	Superior Quality 100% Acrylic Red Iron Oxide, High Solids & Zinc Rich, Waterproofing Rust Treatment Primer Sealer. Seals Active Rust, Corrosion & Oxidation to Retard and Prevent further Metal Deterioration.	100-150 sf/gal. 59% +/- 2% V.O.C.: 100.0 g/l	1 Gallon 5 Gallon 55 Gallon
2740x-C 2740x-1 2740x-5	STUKKOPATCH™ Sand, Rough or Smooth Caulk & Stucco Patch	Pre-mixed, Ready-To-Use, Waterproofing Acrylic Sand, Rough or Smooth Finish Patching Compound for most any Surface. Stucco-Look Finish Quickly Fills, Repairs and Seals Cracks, Chips and Fractures.	25-50 sf/gal. 86% +/- 2% V.O.C.: 100.0 g/l	12 Tubes 1 Gallon 5 Gallon
2925-1 2925-5 2925-55	ULTRA FORCE™ LOW LUSTER Wall & Trim Paint 17 YEAR WARRANTY	An Exterior Low Luster Finish Hybrid Paint that Combines Elastomeric and Acrylic Resins for Exceptional Durability. Excellent for Apartments, Condominiums, Warehouses, Motels, Offices, Residential Dwellings & more.	200-300 sf/gal. 57% +/- 2% V.O.C.: 98.4 g/l	1 Gallon 5 Gallon 55 Gallon
2790-1 2790-5 2790-55	ULTRA PRIME™ TRANSPARENT Primer Sealer	Premium Quality ELASTOMERIC Acrylic Waterproofing Adhesive Primer & Sealer. Excellent Adhesion & Bonding Primer Sealer for ULTRA SEAL™ - ULTRA SATIN™ - ULTRA TEX™ - ULTRA KOTE XL™ - METALUX™	100-150 sf/gal. 41% +/- 2% V.O.C.: 95.0 g/l	1 Gallon 5 Gallon 55 Gallon
2725-1 2725-5 2725-55	ULTRA SEAL™ MATTE WB/DB/CB Wall Coating 25 YEAR WARRANTY	Premium Quality ELASTOMERIC Insulating CERAMIC Waterproofing MATTE Finish Wall Coating. Exceptional Durability, Weatherability, & Mildew Resistance. For Most any Surface. NFPA Class A Fire Rating.	100-150 sf/gal. 59% +/- 2% V.O.C.: 76.0 g/l	1 Gallon 5 Gallon 55 Gallon
2735-1 2735-5 2735-55	ULTRA LUSTER™ LOW LUSTER WB Wall Coating 25 YEAR WARRANTY	Premium Quality ELASTOMERIC Acrylic Insulating CERAMIC Waterproofing LUSTER Finish Wall Coating. Similar to ULTRA SEAL™ with a Beautiful Luster Finish. Excellent Mildew Resistance. For Most any Surface.	100-150 sf/gal. 52% +/- 2% V.O.C.: 105.0 g/l	1 Gallon 5 Gallon 55 Gallon
2730-1 2730-5 2730-55	ULTRA SATIN™ SATIN WB/DB/CB Wall Coating 25 YEAR WARRANTY	Premium Quality ELASTOMERIC Acrylic Insulating CERAMIC Waterproofing SATIN Finish Wall Coating. Similar to ULTRA SEAL™ with a Beautiful Satin Finish. Excellent Mildew Resistance. For Most any Surface.	100-150 sf/gal. 52% +/- 2% V.O.C.: 94.0 g/l	1 Gallon 5 Gallon 55 Gallon
4030-1 4030-5 4030-55	ULTRA KOTE XL™ MATTE Industrial Insulator 25 YEAR WARRANTY	Superior Insulating CERAMIC ELASTOMERIC Acrylic, with URETHANE, Waterproofing, Industrial Coating with High Load, Maximum CERAMIC Content for unsurpassed Soundproofing & Insulation Properties.	100-150 sf/gal. 59% +/- 2% V.O.C.: 85.2 g/l	1 Gallon 5 Gallon 55 Gallon
2825-1 2825-5 2825-55	ULTRA TEX™ Sand or Coarse Texture Coating 25 YEAR WARRANTY	Premium Quality ELASTOMERIC Acrylic Insulating CERAMIC Waterproofing TEXTURE Coating for most Wall Surfaces. Spray or Roll Application. Available in Sand or Coarse Texture. Top Coat with ULTRA SEAL™ or ULTRA SATIN™.	40-75 sf/gal. 63% +/- 2% V.O.C.: 73.2 g/l	1 Gallon 5 Gallon 55 Gallon
2700-1 2700-5 2700-55	ULTRA CLEAR™ CLEAR GLOSS Clear Sealer 7 YEAR WARRANTY	100% Acrylic Clear Gloss Finish for Beautifying, Preserving, Protecting and Waterproofing most any Coated or Uncoated Surface. Non-Yellowing.	250-350 sf/gal. 24% +/- 2% V.O.C.: 50.0 g/l	1 Gallon 5 Gallon 55 Gallon
9600-1	DIAMOND DUST™	Clear Mica Chips for adding a Sparkle/Glitter Effect to Paint/Coating.	1 lb. per 100 s.f.	1 Pound

U.S. Toll Free: 1.800.423.7264 • 941.753.7500 • Email: info@natcoat.net • www.nationwidecoatings.com

CONCRETE & MASONRY




WATERBORNE: STAINS - SEALERS - PAINTS - CLEARS

CODE #	PRODUCT NAME	PRODUCT DESCRIPTION	SPREAD RATE WEIGHT SOLIDS	SIZES
HIGH PERFORMANCE CONCRETE & MASONRY STAINS, SEALERS, PAINTS & CLEARS				
5852-5 5850-5	ULTRA GRIP™ WHITE ULTRA GRIP™ CLEAR Masonry Waterproofing Coating Great for Leaking Walls/Basements	High Performance Commercial Grade Concrete & Masonry Waterproofing Coating. Will Resist up to 15 PSI. of Negative or Positive Hydrostatic Pressure. CLEAR for Floors & Horizontal Surfaces (Top Coat Needed for Vehicle Traffic).	75-100 sf/gal. 65% +/- 2% V.O.C.: <100 g/l	5 Gallon 5 Gallon
5400-1 5400-5 5400-55	PRO-SEAL LINK™ CLEAR 50% Solids Resin	Quality 50% Solids Vinyl Acrylic Latex Resin. Multi-Purpose Waterproofing, Sealing & Bonding Undercoat. Excellent Additive Binder for use in Concrete Masonry Mixtures to Reduce Cracking.	250-350 sf/gal. 50% +/- 2% V.O.C.: 0 g/l	1 Gallon 5 Gallon 55 Gallon
5410-1 5410-5 5410-55	CRETE-MOD™ ZERO V.O.C. Cement Modifier	Low Odor Acrylic Polymer Emulsion for Modifying Cement Compositions. Increases Strength, Adhesion and Water Resistance of Cement Mixtures. Can be used in most any cementitious mix to improve overall qualities.	2 qts. per 50lbs. 48% +/- 2% V.O.C.: 0 g/l	1 Gallon 5 Gallon 55 Gallon
2595-1 2595-5 2595-55	CHALK FORCE™ CLEAR High pH & Chalk Sealer	Superior Performance Acrylic High pH Surface Conditioner and Chalk Sealer. Seals and Prepares most Chalking and High pH (Fresh Cement/Stucco) Surfaces for Adhesion of Paints or Coatings.	300-400 sf/gal. 15% +/- 2% V.O.C.: 100.0 g/l	1 Gallon 5 Gallon 55 Gallon
5450-1 5450-5 5450-55	CRETE-GRIP™ CLEAR Concrete Primer 	Acrylic Adhesive Primer and Troubleshooting Gripping Bonder for Most Coated & Uncoated, Deck & Floor Surfaces. Excellent for priming Smooth and Slick Concrete Surfaces.	200-300 sf/gal. 20% +/- 2% V.O.C.: 55.0 g/l	1 Gallon 5 Gallon 55 Gallon
5460-1 5460-5 5460-55	CRETE-GUARD™ SATIN Concrete Stain & Paint 	Acrylic Concrete Stain, Paint, Sealer and Penetrating Preservative. For Uncoated or Coated/Stained Surfaces. Excellent Abrasion, Chemical, U.V. & Hot Tire Pick Up Resistance.	250-350 sf/gal. 38% +/- 2% V.O.C.: 180.0 g/l	1 Gallon 5 Gallon 55 Gallon
5495-1 5495-5 5495-55	CRETE-CLEAR™ CLEAR GLOSS Sealer & Finish 	Clear Penetrating Acrylic Concrete Sealer, Preservative and Protective Finish. For Uncoated or Coated Surfaces. Excellent Hot Tire Pick Up Resistance.	300-400 sf/gal. 26% +/- 2% V.O.C.: 158.0 g/l	1 Gallon 5 Gallon 55 Gallon
5875-1 5875-5 5875-55	ACRATHANE™ SATIN Concrete Stain & Paint 	Acrylic Commercial Grade Concrete Stain, Paint, Sealer & Penetrating Preservative For Uncoated or Coated/Stained Surfaces. Outstanding Abrasion, Chemical, U.V. & Hot Tire Pick Up Resistance.	250-350 sf/gal. 39% +/- 2% V.O.C.: 176.0 g/l	1 Gallon 5 Gallon 55 Gallon
5895-1 5895-5 5895-55	ACRACLEAR™ CLEAR GLOSS Sealer & Finish 	Acrylic Commercial Grade Clear Penetrating Concrete Sealer, Preservative and Protective Finish. For Uncoated or Coated Surfaces. Excellent Hot Tire Pick Up Resistance.	300-400 sf/gal. 27% +/- 2% V.O.C.: 149.0 g/l	1 Gallon 5 Gallon 55 Gallon
4750-1 4750-5 4750-55	AQUAKOTE™ SATIN Concrete Stain & Paint 	Acrylic Industrial Grade Concrete Stain, Paint, Sealer & Penetrating Preservative For Uncoated or Coated/Stained Surfaces. Exceptional Abrasion, Chemical, U.V. & Hot Tire Pick Up Resistance.	250-350 sf/gal. 41% +/- 2% V.O.C.: 170.0 g/l	1 Gallon 5 Gallon 55 Gallon
4795-1 4795-5 4795-55	AQUACLEAR™ CLEAR GLOSS Sealer & Finish 	Acrylic Industrial Grade Clear Penetrating Concrete Sealer, Preservative and Protective Finish. For Uncoated or Coated Surfaces. Excellent Hot Tire Pick Up Resistance.	300-400 sf/gal. 28% +/- 2% V.O.C.: 141.0 g/l	1 Gallon 5 Gallon 55 Gallon
5840-1 5840-5 5840-55	ULTRATHANE CLEAR GLOSS Urethane 40% Solids 	100% Urethane with 40% active solids, Protective Gloss Urethane Coating and Sealer. Excellent for Interior or Exterior Uses Including Most Sealed & Previously Coated Concrete.	200-400 sf/gal. 40% +/- 2% V.O.C.: 119.0 g/l	1 Gallon 5 Gallon 55 Gallon
5500-5	WATERSEAL™ 	Clear Acrylic Non-Yellowing Waterproofing & Penetrating Sealer	350-450 sf/gal.	5 Gallon
5900-A 5900-B	ENVIROPOXY™ WATER BASED 2 Part Epoxy Coating	Waterborne Industrial Strength Two-Component High Gloss Heavy Use Epoxy Coating. Clear Gloss or most any Color. Provides a Durable, Protective, Hard Finish. Excellent for Garage, Shop & Showroom Floors.	200-300 sf/gal. 50% +/- 2% V.O.C.: 224.0 g/l	4 Gallon Subject to Availability

U.S. Toll Free: 1.800.423.7264 • 941.753.7500 • Email: info@natcoat.net • www.nationwidecoatings.com

WOOD & METAL

WATERBORNE: CLEARS - SEALERS - PAINTS - PRIMERS

CODE #	PRODUCT NAME	PRODUCT DESCRIPTION	SPREAD RATE WEIGHT SOLIDS	SIZES
PENETRATING WOOD SEALERS, STAINS & FINISHES				
5695 5660 5675	WOOD-TECH™ Clear or Semi-Transparent Penetrating Wood Sealer Finish	Superior Quality 100% Acrylic Non-Yellowing Clear Gloss Trim & Deck Sealer and Finish Coating. Effectively Penetrates & Protects Wood against Moisture, Rotting & Decay.	250-350 sf/gal. 24% +/- 2% V.O.C.: 50.0 g/l Most Wood Colors Available	1 Gallon 5 Gallon 55 Gallon
5630-1 5630-5	WOOD-GUARDIAN™ Clear or Semi-Transparent High Solids Penetrating Wood Sealer Finish	Clear Gloss, Urethane Acrylic High Solids Wood and Deck Sealer Finish. Effectively Penetrates, Waterproofs & Protects Wood.	200-300 sf/gal. 24% +/- 2% V.O.C.: 50.0 g/l	1 Gallon 5 Gallon
9250-1 9250-5	SKID-EX™ NON-SKID ADDITIVE	Anti-Skid/Anti-Slip Additive for use in Latex Clear Coat, Paint or Stain for Reducing Slip & Skid. Use 8 to 16 ounces per gallon.	Mesh Size 40-60 250-420 Microns	8 Ounces 40 Ounces
DECK PRODUCTS				
7541-1 7541-5	FLEXPATCH™ TAN WOOD FILLER	Elastomeric Waterproofing High Solids Trowel or Brush Grade Tan Wood Filler Caulk and Sealant.	144 Cu. Inch/gal V.O.C.: 44.1 g/l	1 Gallon 5 Gallon
5625-1 5625-5	DECK GUARDIAN™ MATTE WB/CB/DB High Build Deck-Over Coating	High Build Deck-Over Coating Penetrates, Seals, Waterproofs & Protects While Resisting Moisture, Rotting & Decay.	75-100 sf/gal. 53% +/- 2% V.O.C.: 42.0 g/l	1 Gallon 5 Gallon 55 Gallon
5626-1 5626-5	DECK GUARDIAN SKID-TEX™ NON-SKID TEXTURE ADDITIVE	Anti-Skid/Anti-Slip Texture Additive for use in DECK-GUARDIAN, High Build Deck-Over Coating Reducing Slip & Skid.	2 lbs. Per gal. 10 lbs. per gal.	2 lbs. 10 lbs.
5840-1 5840-5 5840-55	ULTRATHANE CLEAR GLOSS Urethane 40% Solids 	100% Urethane with 40% active solids, Protective Gloss Urethane Coating and Sealer. Excellent for Interior or Exterior Uses Including Most Sealed & Previously Coated Concrete.	200-400 sf/gal. 40% +/- 2% V.O.C.: 119.0 g/l	1 Gallon 5 Gallon 55 Gallon
INDUSTRIAL STRENGTH METAL PRIMER & COATINGS				
5790-1 5790-5 5790-55	METAL-PRIME RED-OX™ RED IRON OXIDE Metal Primer Sealer Rust Treatment	Superior Performance Acrylic Red Iron Oxide, High Solids & Zinc Rich, Waterproofing Rust Treatment Primer Sealer. Seals Active Rust, Corrosion & Oxidation to Retard and Prevent further Metal	100-150 sf/gal. 59% +/- 2% V.O.C.: 100.0 g/l High-Tech Waterborne Formula	1 Gallon 5 Gallon 55 Gallon
4025-1 4025-5 4025-55	ULTRA KOTE™ MATTE Industrial Coating 25 YEAR WARRANTY 	Superior Quality ELASTOMERIC with 100% Acrylic Resin & Urethane Resin, Insulating CERAMIC, Waterproofing Industrial Maintenance Coating. Exceptional Chemical, Water, Mildew & Dirt Pickup Resistance.	100-150 sf/gal. 62% +/- 2% V.O.C.: 48.0 g/l Great for Tanks, Pipes, Equipment, Etc.	1 Gallon 5 Gallon 55 Gallon
4035-1 4035-5 4035-55	SATIN KOTE™ SATIN Industrial Coating 25 YEAR WARRANTY	Superior Quality, SATIN FINISH, ELASTOMERIC with 100% Acrylic Resin & Urethane Resin, Insulating CERAMIC, Waterproofing Industrial Maintenance Coating. Exceptional Chemical, Water, Mildew & Dirt Pickup Resistance.	100-150 sf/gal. 53% +/- 2% V.O.C.: 94.0 g/l	1 Gallon 5 Gallon 55 Gallon
4030-1 4030-5 4030-55	ULTRA KOTE XL™ MATTE Industrial Insulator 25 YEAR WARRANTY 	Superior Insulating CERAMIC ELASTOMERIC Acrylic, with URETHANE, Waterproofing, Industrial Coating with High Load, Maximum CERAMIC Content for Unsurpassed Soundproofing & Insulation Properties.	100-150 sf/gal. 59% +/- 2% V.O.C.: 85.2 g/l Excellent Performance Upgrade Mid-Coat	1 Gallon 5 Gallon 55 Gallon
407X-1 407X-5 407X-55	METALUX™ ENAM SILVER, COPPER, BRASS, BRONZE & GOLD 10 YEAR WARRANTY	Acrylic Latex Enamel Metallic Look Decorative Industrial Coating. Excellent Durability and Beautiful SEMI-GLOSS Finish. Many other Decorative Metallic Look and Metal Flake Colors Available.	200-300 sf/gal. 48% +/- 2% V.O.C.: 170.0 g/l Enamel Metallic Semi-Gloss Finish	1 Gallon 5 Gallon 55 Gallon
757X-1 757X-5 757X-55	METALUX™ ELASTO SILVER, COPPER, BRASS, BRONZE & GOLD 12/10 YEAR WARRANTY	ELASTOMERIC Acrylic CERAMIC Metallic Look Decorative Industrial Coating. Excellent Durability and Beautiful MATTE, SATIN or SEMI-GLOSS Finish. Many other Decorative Metallic Look and Metal Flake Colors Available.	125-175 sf/gal. 52% +/- 2% V.O.C.: 95.6 g/l Minimum Order May Apply	1 Gallon 5 Gallon 55 Gallon
5750-1 5750-5 5750-55	WEATHER GUARD™ Flat, Semi-Gloss or Gloss Latex Enamel 10 YEAR WARRANTY	Superior Quality Waterborne Acrylic Urethane Latex Enamel. Forms a Hard, Abrasion Resistant Smooth Enamel Look Finish. For Interior & Exterior Applications. Rigid Wood, Metal and Masonry.	200-300 sf/gal. 48% +/- 2% V.O.C.: 170.0 g/l Waterbased Oil Enamel Look Durable Finish	1 Gallon 5 Gallon 55 Gallon

U.S. Toll Free: 1.800.423.7264 • 941.753.7500 • Email: info@natcoat.net • www.nationwidecoatings.com